



SF1642

SF1642

INCI NAME

C30-45 Alkyl Dimethicone

Description

SF1642 silicone alkyl copolymer is a high melting point, linear polysiloxane functionalized with C30-45 alkyl group. It is designed for use in sun care, skin care and color cosmetic applications. The unique structure gives rise to superior compatibility with both silicones and organics, thus SF1642 silicone alkyl copolymer is an effective coupler for silicone and organic phases. SF1642 silicone alkyl copolymer also functions as a thickening agent for both oil-in-water and water-in-oil emulsions. Additionally, it offers excellent lubricity and skin feel.

Key Features and Benefits

- Excellent lubricity
- Smooth-silky feel
- Thickening agent
- Compatibility with organic ingredients
- Compatibilizing agent for silicones and organic ingredients

Typical Properties

Properties	Value
Appearance	Pastille
Color, Gardner	< 2
Melting Point, °C(°F)	60-70(140-158)
Density @ 25°C, (lb/gal)	7.35
Flash Point, °C(°F)	> 100 (>212)

Solubility data

Key

I = Insoluble at < 1%

IH = Insoluble Hot at < 1%

PSH = Partially Soluble Hot at 1-10% by weight

SH = Soluble Hot at 10% or higher

DH = Dispersible Hot at 90%

Solvent Type	Material	SF1642
Highly Polar	Water	IH
Hydrocarbon Solvents	Aliphatic	SH

	Aromatic	SH
Hydrocarbon & Vegetable Oils	Mineral Oil 65/75 SUS	SH
	Mineral Oil 220/210 SUS	SH
	Petrolatum	SH
	Cottonseed (Gossypium) Oil	SH
	Castor (Ricinus Communis)Oil	IH
	Sunflower (Helianthus Annuus) Seed Oil	PSH
	Maleated Soybean Oil	PSH
	Wheat (Triticum Vulgare) Germ Oil	IH
	Hydrogenated Polyisobutene	SH
	Isododecane	SH

Alcohols & Glycols	Cetyl Alcohol	SH
	Ethanol	I
	SD Alcohol 40	I
	Isopropanol	I
	2-Ethyl-Hexanol	SH
	Lauryl Alcohol	SH
	Stearyl Alcohol	SH
	Propylene Glycol	PSH
	Glycerin	IH
Esters	Isopropyl Palmitate	SH
	Isopropyl Myristate	SH
	Myristyl Propionate	SH
	PPG-2 Myristyl Ether Propionate	SH
	Caprylic/Capric Triglyceride	SH
	C12-15 Alkyl Benzoate	SH
Silicones	Dimethicone (SF96-350)	PSH
	Cyclopentasiloxane (SF1202)	SH
	Cyclopentasiloxane (and) Trimethylsiloxysilicate (SS4230)	SH
	Diisostearoyl Trimethylolpropane Siloxy Silicate (SF1318)	PSH
	Phenyl Trimethicone (SF1550)	SH
	Dimethicone Copolyol (SF1288)	PSH

Waxes	Paraffin	SH
	Ozokerite	SH
	Candelilla (Euphorbia Cerifera) Wax	SH
	Beeswax	SH
	Carnauba (Copernicia Cerifera) Wax	SH
Sunscreens	Benzophenone-3	IH
	Octyl Methoxycinnamate	PSH
	Octyl Salicylate	SH
	Octocrylene	IH
Pigments	Titanium Dioxide	DH

	Iron Oxides	DH
	D& C Red No. 21	DH
Lanolin	Lanolin	SH
Others	Tocopheryl Acetate	SH

Potential Applications

- Skin Creams and Lotions
- Sun Care Products
- Color Cosmetics
- Stick Products

General Instructions for Use

SF1642 is added to the Oil or Silicone phase.

SF1642 must be hot processed.

Suggested Use Levels: 1-5%

Patent Status

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

Product Safety, Handling and Storage

Customers should review the latest Material Safety Data Sheet (MSDS) and label for product safety information, safe handling instructions, personal protective equipment if necessary, and any special storage conditions required for safety. MSDS are available at www.momentive.com or, upon request, from any Momentive Performance Materials (MPM) representative. **For product storage and handling procedures to maintain the product quality within our stated specifications, please review Certificates of Analysis, which are available in the Order Center.** Use of other materials in conjunction with MPM products (for example, primers) may require additional precautions. Please review and follow the safety information provided by the manufacturer of such other materials.

Limitations

Customers must evaluate Momentive Performance Materials products and make their own determination as to fitness of use in their particular applications.

From automotive to healthcare, from electronics to construction, products from Momentive Performance Materials Inc. are practically everywhere you look. We are a global leader in silicones and advanced materials with a 70+ year heritage of innovation and being first to market – with performance applications that improve everyday life. By knowing our customers' needs and creating custom technology platforms for them, we provide science based solutions to help customers increase performance, solve product development issues and engineer better manufacturing processes.

Contact Information

For product prices, availability, or order placement, contact our customer service by visiting www.momentive.com/Contacts

For literature and technical assistance, visit our website at: www.momentive.com

Momentive and the Momentive logo are trademarks of Momentive Performance Materials Inc.

DISCLAIMER

The information provided herein was believed by Momentive Performance Materials Inc. (collectively with its subsidiaries, "Momentive") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product, and to determine the suitability of the product for user's intended application or use. All products supplied by Momentive are subject to Momentive's standard terms and conditions of sale. **MOMENTIVE MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY MOMENTIVE**, except that the product shall conform to Momentive's specifications. Nothing contained herein constitutes an offer for the sale of any products.